

Top & Bottom Infill Strips/filler block or profiled foam fillers insert between roof cladding and flashing.

RPFL Std Colorbond® XRW/Ultra 0.55 BMT Flashing
Base Materials: coating AZ200 Steel Grade G300.
fixed to the roof cladding with SDM Screw.

Flashguard Soft Edge flashing for metal roof accessories
Weather sealing membrane with elastic characteristics compatible with zincalume, aluminium & galvanised steel roof materials.

RPFL Colorbond® XRW/ULTRA 0.55 BMT Multispan® 905
Base Materials: Steel Grade G550. 0.55mm BMT.
Mass 6 kg/m². Coating G550 AZ150/200 Colorbond® XRW/ULTRA.
Minimum Roof Pitch 1 degree. Profiles tested for Cyclonic Conditions.

Permastop Building Blanket®
Medium Duty Sisalation® (Foil Face Up)

Kingspan AIR-CELL INSULINER Self-Supported
3-in-1 Insulation Vapour
Barrier and Radiant Barrier or 430 WF
Med. duty sisalation.

Aushmesh300 Galvanized roof safety mesh
Wire mesh 1.8 X 50m (90m² Roll) Mesh Gap
300X150mm

RPFL Bridging Channel as per
RPFL purlin catalogue to be installed
as per manufacturers specification

Structure as per engineers details

RPFL Std Colorbond® XRW/Ultra 0.55 BMT
CAPPING. Base Materials: coating
AZ150/AZ200 Steel Grade G300.
fixed to the roof cladding with SDM Screw.

Climaseal screw fixed @ 600 ctrs max M6 x 25mm.

A sealed vertical lap must be 100mm min.
completely filled with 2 x 4mm sealant
beads placed at the center of the lap.

Fix Capping to concrete with 6.5mm x 20mm metal
pin anchors @ 1000mm centers

Structure as per engineers details

RPFL Zed & Cee sections are roll formed
from GALVSTEEL, complying with
AS1397-2001. Purlin size as per structural
drawings

Notes:
All installation to be as per New Zealand steel
specification and installation guide. (March 2011)
& New Zealand roof and cladding
CODE OF PRACTICE (Version 2.2/2012)



Roofing & Profiles (Fiji) Pte Ltd
Ph: (679) 6673764 M: 999 9309
Email: info@roofingandprofiles.com.fj

This drawing is the property of Roofing & Profiles (Fiji) Pte Ltd and must not be copied or disclosed to any third party without the written consent of the company.
ALL DIMENSIONS ARE IN mm UNLESS STATED

PROJECT TITLE:
ROOF DETAILS

DRAWING TITLE:
SHOP DRAWINGS

DRAWN:	S.Lal	SCALE:	1:25 @ A4	SHEET No :	SD 1010
DATE :	21/11/2020	REVISION No:		REVISION TITLE:	
CHECKED BY:		APPROVED BY:		JOB NUMBER:	13 - RAIN