


RPFL Std Colorbond® XRW/Ultra
0.55 BMT Flashing
Base Materials: coating AZ200 Steel Grade G300.
fixed to the roof cladding with SDM
Screw / silicon sealant
and rivet together .



RPFL Std Colorbond® XRW/Ultra 0.55 BMT Flashing
Base Materials: coating AZ200 Steel Grade G300.
fixed to the roof cladding with SDM Screw / silicon
sealant and rivet together .

RPFL 0.55 BMT RIDGE CAP
Base Materials: coating AZ200 Steel Grade G300.
fixed to the roof cladding with SDM Screw / silicon
sealant and rivet together .

Notes:

All installation to be as per New Zealand steel
specification and installation guide. (March 2011)
& New Zealand roof and cladding
CODE OF PRACTICE (Version 2.2/2012)



Roofing & Profiles (Fiji) Pte Ltd
Ph: (679) 6673764 M: 999 9309
Email: info@roofingandprofiles.com.fj

This drawing is the property of Roofing &
Profiles (Fiji) Pte Ltd and must not be copied
or disclosed to any third party without the
written consent of the company.
ALL DIMENSIONS ARE IN mm UNLESS
STATED

PROJECT TITLE:
ROOF DETAILS

DRAWING TITLE:
SHOP DRAWINGS

DRAWN: C.V.B

DATE : 15/12/2020

CHECKED BY:

SCALE: 1:5 @ A4

REVISION No:

APPROVED BY:

SHEET No : SD 1080

REVISION TITLE:

JOB NUMBER: 13 - RAIN